

# Concept Form

## AKTIVLINE® Aluminium

### Individual Model

Purchase order  Cost estimate/ Bid

\_\_\_\_\_  
Name of the orderer

\_\_\_\_\_  
Company

\_\_\_\_\_  
Production order/Patient name (LAST NAME, First name)

\_\_\_\_\_  
Your purchase order no.

\_\_\_\_\_  
Date

\_\_\_\_\_  
Signature/Company stamp

**inter∞**®

**Aktivline!**

## Patient data

Mandatory information pursuant to Medical Products Act/Medical Device Regulation



Name of the patient

Date of birth

male  female

Diagnosis

Address of the patient

Med./Therap. Facility

Name of the physician

Name of the therapist

Health insurance provider

- |  |   |
|--|---|
| <input type="checkbox"/> Prescription enclosed                 | <input type="checkbox"/> Prescription to follow                 |
| <input type="checkbox"/> Therapeutic evaluation sheet enclosed | <input type="checkbox"/> Therapeutic evaluation sheet to follow |
| <input type="checkbox"/> Digital photos enclosed*              | <input type="checkbox"/> Digital photos to follow*              |
| <input type="checkbox"/> Video sequences enclosed*             | <input type="checkbox"/> Video sequences to follow*             |

**\* Legal guardian hereby grants his or her informed consent form for the compilation and use of the patient information within the framework of the services to be provided**

Date

Signature

Medical Device Consultant at interco GmbH

Medical Device Consultant at the health care facility

Health Care Facility / Official Stamp

**The patient data are subject to the Federal Data Protection Act (BDSG) and the EU's General Data Protection Regulation (GDPR) and will be handled by us with the appropriate confidentiality.**


Please direct requests for more information to our Data Protection Representative:

Ute Markwald  
Tel.: 02243 8807-14  
E-mail: ute.markwald@interco-reha.de

**Per fax to: +49 (0) 2243/8807-29**

**Per e-mail to: info@interco.gmbh**

## Individual patient measurements




Patient measurements have been taken

Date: \_\_\_\_\_ by: \_\_\_\_\_

Per fax to: +49 (0) 2243/8807-29

Per e-mail to: [info@interco.gmbh](mailto:info@interco.gmbh)

## Individual measurements according to scan (measured from reference point)



### Individual production measurements

Enter the desired changes below (measured from reference point)\*

- |                                      |       |                                     |       |
|--------------------------------------|-------|-------------------------------------|-------|
| ① Seat depth right                   | _____ | ⑤ Height lateral side supports left | _____ |
| ② Seat depth left                    | _____ | ⑥ Seat width                        | _____ |
| ③ Back height                        | _____ | ⑦ Trunk width (inner)               | _____ |
| ④ Height lateral side supports right | _____ | ⑧ Trunk width (front)               | _____ |

\* Please add / subtract the desired measurements


### Material

- RG 60
- RG 80
- Frame Foam™

Per fax to: +49 (0) 2243/8807-29

Per e-mail to: info@interco.gmbh

## Individual accessories



Per fax to: +49 (0) 2243/8807-29

Per e-mail to: [info@interco.gmbh](mailto:info@interco.gmbh)

## Individual production measurements

without taking the material thickness into consideration

**Note:** The measurements you indicate should include all plus or minus allowances you may request.

Seat height to top of head	_____ cm	Right seat depth	_____ cm
Seat height to shoulder	_____ cm	Left seat depth	_____ cm
Seat height to armpit	_____ cm	Right calf length	_____ cm
Seat height to waist	_____ cm	Left calf length	_____ cm
Width at shoulder height	_____ cm	Shoe size	_____ cm
Width at chest height	_____ cm	Height approx.	_____ cm
Width at waist height	_____ cm	Body weight approx.	_____ kg
Width in seat region	_____ cm	Head circumference	_____ cm

Please understand that we cannot proceed unless the forms are completely filled out.

### Color of the straps/restraints

Black

Special color: \_\_\_\_\_

### Upholstery

based on measurements

based on molded custom contour (by means of soft foam method)

based on vacuum impression

based on scan (STL file)

### Information about fabric cover

\_\_\_\_\_

### Information about synthetic leather cover

Gray

Black

Blue

Red

Special color

### Information about undercarriage color

\_\_\_\_\_

### Other important notes

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Per fax to: +49 (0) 2243/8807-29

Per e-mail to: [info@interco.gmbh](mailto:info@interco.gmbh)

## AKTIVLINE dynamic seat and back system

- ▶ Made of aluminum with physiological pivot points in the pelvic and knee regions
- ▶ Pelvis adjustment unit and system restraint at 90°
- ▶ Anatomical molding in the seat with adduction guides
- ▶ Anatomical upholstery in the back with lateral side supports integrated
- ▶ Prepared for mounting of dynamic foot rest systems
- ▶ Prepared for mounting of restraints
- ▶ Adapter system and sliding rails for connecting the seat and back unit to selected undercarriages



## Basic configuration

- |   |   |
|---|---|
| Foot rest system                                    | <input type="checkbox"/> one-piece foot rest system<br><input type="checkbox"/> two-piece leg rest system   |
| Seat part   | <input type="checkbox"/> Seat part in straight version<br><input type="checkbox"/> Seat part in three-piece version with adjustable abduction   |
| <input type="checkbox"/> assembled on               | <b>SIMPLY undercarriage</b><br><input type="checkbox"/> 12" <input type="checkbox"/> 16" <input type="checkbox"/> 22" <input type="checkbox"/> 24" Wheels<br>Including wheels with drum brakes and full-floating rear axle, front wheels 200 x 50, parking brake handle with three latching positions, push bar with adjustable height and angle, pivotable support rollers, and adapter receptacle to accommodate the seat and back on sliding rails   |
| <input type="checkbox"/> alternatively assembled on | <b>SIMPLY LIGHT undercarriage</b><br><input type="checkbox"/> 12" <input type="checkbox"/> 16" <input type="checkbox"/> 22" <input type="checkbox"/> 24" Wheels<br>Including wheels with drum brakes and full-floating rear axle, front wheels 200 x 50, parking brake handle with three latching positions, push bar with adjustable height and angle, pivotable support rollers, anti-tip and adapter receptacle to accommodate the seat and back on sliding rails  |
| <input type="checkbox"/> alternatively assembled on | <b>ROOMY NEW EDITION Indoor with 125 mm (or 100 mm) lightweight rollers</b><br>Including adapter receptacle to accommodate seat and back on sliding rails, including seat height and seat angle adjustment<br><input type="checkbox"/> constructed with manual seat height adjustment by means of gas pressure springs<br><input type="checkbox"/> constructed with electrical seat height adjustment (the push bar is needed for mounting an electric motor)<br><input type="checkbox"/> removable push bar as an option |
| <input type="checkbox"/> alternatively assembled on | <b>an electric wheelchair purchased by the customer, of the type:</b>   |

Per fax to: +49 (0) 2243/8807-29

Per e-mail to: info@interco.gmbh

Art. no.	Article name   Article description   Options	UNIT	Quantity
----------	--	------	----------



## Lower extremities

	AKTIVLINE foot rest system with one-piece foot rest	Unit	<input type="text"/>
	AKTIVLINE leg rest system in two-piece construction (an integrated abduction pommel is required)	Unit	<input type="text"/>
	AKTIVLINE leg rest system in two-piece construction, reacting to pulling and pushing (an integrated abduction pommel is required)	Unit	<input type="text"/>
	Leg rest, adjustment unit via <input type="checkbox"/> Rubber expander <input type="checkbox"/> Retraction springs <input type="checkbox"/> Without adjustment unit	Set	<input type="text"/>
	Mounting of rubber buffers to the footrest system	Set	<input type="text"/>
	Calf support <input type="checkbox"/> complete <input type="checkbox"/> with individual foot supports	Unit	<input type="text"/>
	Foot rest mechanism locking option via pivot cantilever <input type="checkbox"/> with clamp lever <input type="checkbox"/> with spring-loaded catch	Unit	<input type="text"/>
	Foot rest angle adjustment option	Unit	<input type="text"/>
	Foot pedals made of aluminum <input type="checkbox"/> fold-up <input type="checkbox"/> fixed <input type="checkbox"/> Size 1 <input type="checkbox"/> Size 2 <input type="checkbox"/> Size 3	Pair	<input type="text"/>
	Heel stop _____ cm	Unit	<input type="text"/>
	Heel stop cushion <input type="checkbox"/> 1 cm <input type="checkbox"/> 2 cm	Unit	<input type="text"/>
	Foot rest riser <input type="checkbox"/> 1 cm <input type="checkbox"/> 2 cm <input type="checkbox"/> individualized _____ cm	Unit	<input type="text"/>
	Foot rest cushion <input type="checkbox"/> 1 cm <input type="checkbox"/> 2 cm <input type="checkbox"/> individualized _____ cm	Unit	<input type="text"/>
	Foot guide stirrup, upholstered with synthetic leather cover <input type="checkbox"/> Height _____ cm <input type="checkbox"/> right <input type="checkbox"/> left	Unit	<input type="text"/>
	Foot gaiters size 1-3 made of neoprene <input type="checkbox"/> Size 1 <input type="checkbox"/> Size 2 <input type="checkbox"/> Size 3	Pair	<input type="text"/>
	Foot gaiters made of NEOPRENE with forefoot restraint, size 1-3 made of neoprene <input type="checkbox"/> Size 1 <input type="checkbox"/> Size 2 <input type="checkbox"/> Size 3	Pair	<input type="text"/>

Per fax to: +49 (0) 2243/8807-29

Per e-mail to: info@interco.gmbh



Art. no.	Article name   Article description   Options	UNIT	Quantity
	Foot gaiters made of neoprene, based on individualized information <input type="checkbox"/> Size 1 <input type="checkbox"/> Size 2 <input type="checkbox"/> Size 3 <input type="checkbox"/> Other measurements _____	<input type="checkbox"/> Key locks <input type="checkbox"/> Grid	Pair <input type="text"/>
	Foot straps with padded instep and incremental adjustment	Pair	<input type="text"/>
	Maximum opening angle of the footrest system	Unit	<input type="text"/>



## Pelvis

2-point hip belt with neoprene cushion and plastic press buckle	<input type="checkbox"/> 1 Strap <input type="checkbox"/> 2 Straps	<input type="checkbox"/> Size 1 <input type="checkbox"/> Size 2 <input type="checkbox"/> Size 3	Unit <input type="text"/>	
4-point hip belt with neoprene cushion and plastic press buckle	<input type="checkbox"/> 1 Strap <input type="checkbox"/> 2 Straps	<input type="checkbox"/> Size 1 <input type="checkbox"/> Size 2 <input type="checkbox"/> Size 3	Unit <input type="text"/>	
Extra charge for hip belt with magnetic lock			Unit <input type="text"/>	
Hip belt, special individually made-to-measure version, made of neoprene			Unit <input type="text"/>	
Hip belt mounted at 70°			Unit <input type="text"/>	
PELVI-LOCK 3DS Pelvis retraction belt with toothed belt and buckle for seat shells with flexible belt strap fastener	<input type="checkbox"/> Size XS (SB=16-24 cm) <input type="checkbox"/> Size S (SB=20-32 cm) <input type="checkbox"/> Size M (SB=30-40 cm) <input type="checkbox"/> Size L (SB=36-46 cm)		Unit <input type="text"/>	
Slide-on cushion for hip belt			Pair <input type="text"/>	
Include slots for hip belt			Set <input type="text"/>	
Pelvic harness	<input type="checkbox"/> Standard <input type="checkbox"/> T-shape <input type="checkbox"/> Leg-spreading	<input type="checkbox"/> Size 1 <input type="checkbox"/> Size 2 <input type="checkbox"/> Size 3	<input type="checkbox"/> Synthetic leather <input type="checkbox"/> Neoprene	Unit <input type="text"/>
Abduction pommel, integrated in seat unit (always required for leg rest with individual foot supports)			Unit <input type="text"/>	
Abduction pommel, adjustable, removable (except for leg rest with individual foot supports)			Unit <input type="text"/>	
Abduction pommel, hinged (except for leg rest with individual foot supports)			Unit <input type="text"/>	
Side cushions for the seat, attachable with Velcro	<input type="checkbox"/> with Velcro attachment on the cover <input type="checkbox"/> under the cover	<input type="checkbox"/> 2 cm <input type="checkbox"/> 3 cm	Pair <input type="text"/>	
Seat wedge	<input type="checkbox"/> attachable with Velcro <input type="checkbox"/> integrated		Unit <input type="text"/>	
Maximum hip opening angle			Unit <input type="text"/>	

Per fax to: +49 (0) 2243/8807-29

Per e-mail to: info@interco.gmbh

Art. no.	Article name	Article description	Options	UNIT	Quantity
----------	--------------	---------------------	---------	------	----------



## Upper body

Neoprene chest belt	<input type="checkbox"/> attachable with Velcro <input type="checkbox"/> with overlapping tongue <input type="checkbox"/> with deflection roller	<input type="checkbox"/> Size 1 <input type="checkbox"/> Size 2 <input type="checkbox"/> Size 3	Unit	<input type="text"/>	
Neoprene chest harness for girls and boys	<input type="checkbox"/> Standard version <input type="checkbox"/> With zipper <input type="checkbox"/> Vario version <input type="checkbox"/> Removable version	<input type="checkbox"/> Size 1 <input type="checkbox"/> Size 2 <input type="checkbox"/> Size 3 <input type="checkbox"/> Size 4 <input type="checkbox"/> Boys <input type="checkbox"/> Girls	Unit	<input type="text"/>	
Neoprene chest harness based on individual information*			Unit	<input type="text"/>	
Slide-on cushion for chest harness			Pair	<input type="text"/>	
Belt guides for straps (plates for mounting on shell rim)			Set	<input type="text"/>	
Include slots for chest harness			Set	<input type="text"/>	
Lateral side supports, adjustable height and width (additional charge)*	<input type="checkbox"/> according to STL	<input type="checkbox"/> straight version <input type="checkbox"/> slightly curved version	<input type="checkbox"/> right <input type="checkbox"/> left	Unit	<input type="text"/>
Lateral side supports, reinforced version			<input type="checkbox"/> right <input type="checkbox"/> left	Unit	<input type="text"/>
Postural supports, embracing the trunk, according to individual information, including hinges and safety belt with clip buckle*		<input type="checkbox"/> with shoulder belts	<input type="checkbox"/> right <input type="checkbox"/> left	Unit	<input type="text"/>
Lateral side supports, swing-away (additional charge), with swing-away unit*			<input type="checkbox"/> right <input type="checkbox"/> left	Unit	<input type="text"/>
Lumbar spine support		<input type="checkbox"/> with Velcro attachment on the cover <input type="checkbox"/> with Velcro attachment under the cover <input type="checkbox"/> integrated		Unit	<input type="text"/>
Back extension		<input type="checkbox"/> attachable <input type="checkbox"/> integrated	_____ cm	Unit	<input type="text"/>

\* please quote individual measurements on page 5!



## Upper extremities

Arm rests, adjustable height- and angle, ALULINE	<input type="checkbox"/> 235 mm <input type="checkbox"/> 320 mm	Pair	<input type="text"/>
Arm rests, adjustable height- and angle, steel, 15 x 15 cm		Pair	<input type="text"/>

Per fax to: +49 (0) 2243/8807-29

Per e-mail to: info@interco.gmbh

Art. no.	Article name   Article description   Options	UNIT	Quantity
	<b>Armrests for AKTIVLINE, L-shaped</b> <input type="checkbox"/> responsive <input type="checkbox"/> with integrated upper arm supports <input type="checkbox"/> fixed <input type="checkbox"/> without integrated upper arm supports	Pair	<input type="text"/>
	<b>Arm cushions, according to individual information (please attach sketch)*</b> <input type="checkbox"/> with depression <input type="checkbox"/> flat	Pair	<input type="text"/>
	<b>Lower shell rims of the seating system flared outward and upholstered all around</b> _____ cm	Pair	<input type="text"/>
	<b>Lower arm restraint made of neoprene</b> <input type="checkbox"/> Length _____ <input type="checkbox"/> with expander <input type="checkbox"/> Width _____ <input type="checkbox"/> without expander	Unit	<input type="text"/>
	<b>Therapy tray table, standard version, made of wood with two-segment cut-out, attachable by slipping on</b> <input type="checkbox"/> Size 1 <input type="checkbox"/> Size 2 <input type="checkbox"/> Size 3 <input type="checkbox"/> Size 4	Unit	<input type="text"/>
	<b>Therapy tray table, semicircular, made of wood, with two-segment cut-out, attachable by slipping on</b> <input type="checkbox"/> Size 1 <input type="checkbox"/> Size 2 <input type="checkbox"/> Size 3 <input type="checkbox"/> Size 4	Unit	<input type="text"/>
	<b>Therapy tray table, made of acrylic (PETG), with two-segment cut-out, attachable by slipping on</b> <input type="checkbox"/> Size 1 <input type="checkbox"/> Size 2 <input type="checkbox"/> Size 3 <input type="checkbox"/> Size 4	Unit	<input type="text"/>
	<b>Therapy tray table, semicircular version made of Neopolen, with additional fastening strap and synthetic leather cover, attachable by Velcro</b> <input type="checkbox"/> Size 1 <input type="checkbox"/> Size 2 <input type="checkbox"/> Size 3 <input type="checkbox"/> Size 4	Unit	<input type="text"/>
	<b>Therapy tray table made of Neopolen, dynamically responsive to movement, individually made to measure*</b>	Unit	<input type="text"/>
	<b>Therapy tray table individually made to measure of Neopolen, with additional fastening strap and synthetic leather cover, attachable by Velcro*</b>	Unit	<input type="text"/>
	<b>Therapy tray table, individually made to measure with two-segment cut-out, attachable by slipping on*</b> <input type="checkbox"/> Acrylic glass (Pet-G) <input type="checkbox"/> Wood	Unit	<input type="text"/>
	<b>Tabletop pad of Neopolen for therapy tray table, attachable with Velcro</b>	Unit	<input type="text"/>
	<b>Padding of the segment cut-out on the therapy tray table</b>	Unit	<input type="text"/>
	<b>Swing-away unit for therapy tray table</b>	Unit	<input type="text"/>
	<b>Slip-on mechanism for therapy tray table</b>	Unit	<input type="text"/>

\* please quote individual measurements on page 5!



## Head

<b>Receptacle for headrest brackets in AKTIVLINE</b> <input type="checkbox"/> ALULINE <input type="checkbox"/> square	Unit	<input type="text"/>
<b>ALULINE headrest bracket in fixed version</b> <input type="checkbox"/> with one fastening element <input type="checkbox"/> with two fastening elements	Unit	<input type="text"/>

Per fax to: +49 (0) 2243/8807-29

Per e-mail to: info@interco.gmbh

Art. no.	Article name   Article description   Options	UNIT	Quantity
	ALULINE headrest bracket in laterally adjustable version	<input type="checkbox"/> with one fastening element <input type="checkbox"/> with two fastening elements	Unit <input type="text"/>
	ALULINE headrest bracket with depth adjustment		Unit <input type="text"/>
	Headrest bracket, square	<input type="checkbox"/> angled <input type="checkbox"/> straight <input type="checkbox"/> conical	Unit <input type="text"/>
	Headrest cushion, shell-shaped, with synthetic leather cover	<input type="checkbox"/> Size 1 <input type="checkbox"/> Size 2	Unit <input type="text"/>
	Headrest cushion in standard version with synthetic leather cover	<input type="checkbox"/> Size 1 <input type="checkbox"/> Size 2	Unit <input type="text"/>
	AKTIVLINE dynamic headrest, shell-shaped version with synthetic leather cover	<input type="checkbox"/> Size 1 <input type="checkbox"/> Size 2	Unit <input type="text"/>
	AKTIVLINE dynamic headrest, standard version with synthetic leather cover	<input type="checkbox"/> Size 1 <input type="checkbox"/> Size 2	Unit <input type="text"/>
	AKTIVLINE headrest, version according to individual information (please attach sketch)	<input type="checkbox"/> dynamic <input type="checkbox"/> fixed	Unit <input type="text"/>
	Headrest, attachable with Velcro, made to measure		Unit <input type="text"/>
	Fabric cover for headrest (easily removable, in addition to the synthetic leather cover)		Unit <input type="text"/>

**!** Note: The combination of the AKTIVLINE® with third party head rests (head rest systems not manufactured by interco) is not permitted.

### Sketch for individual headrest

Per fax to: +49 (0) 2243/8807-29

Per e-mail to: info@interco.gmbh

Art. no.	Article name	Article description	Options	UNIT	Quantity
----------	--------------	---------------------	---------	------	----------



## Custom items

Seat depth regulation in 5 cm increments for AKTIVLINE via infinitely adjustable seat plate (3 cm) and adjustability of the back unit (2 cm)		Unit	<input type="text"/>
Additional charge for perforations for better air flow	<input type="checkbox"/> Seat <input type="checkbox"/> Back	Set	<input type="text"/>
Additional price for system restraint at	<input type="checkbox"/> 95° <input type="checkbox"/> 100° <input type="checkbox"/> 110° <input type="checkbox"/> other angle:  <input type="checkbox"/> according to scan	Set	<input type="text"/>
Dynamic back extension of upper back part movable via spring system		Unit	<input type="text"/>
Locking of the AKTIVLINE mechanism in the pelvic region via hydraulic thrust absorber		Unit	<input type="text"/>

## Upholstery



Upholstery	<input type="checkbox"/> Velcro like standard version <input type="checkbox"/> firmly bonded	Unit	<input type="text"/>
Upholstery for seat unit with relax foam	<input type="checkbox"/> 1 cm <input type="checkbox"/> 2 cm	Unit	<input type="text"/>
Upholstery for back unit with relax foam	<input type="checkbox"/> 1 cm <input type="checkbox"/> 2 cm	Unit	<input type="text"/>
Partial upholstery for seat and/or back unit according to customer requirements or sketches	<input type="checkbox"/> Relax foam <input type="checkbox"/> pincore latex	Unit	<input type="text"/>
Soft orthosis, CAM-milled on the basis of scan	<input type="checkbox"/> Seat <input type="checkbox"/> Back	Unit	<input type="text"/>
Upholstery with soft foam technique	<input type="checkbox"/> Seat <input type="checkbox"/> Back	Unit	<input type="text"/>
Soft foam component A		KG	<input type="text"/>
Soft foam component B		KG	<input type="text"/>
Water-repellent protection / coating	<input type="checkbox"/> Seat <input type="checkbox"/> Back	Unit	<input type="text"/>

## Covers and accessories




Anti-decubitus cover for AKTIVLINE Aluminium	<input type="checkbox"/> without molded custom contour <input type="checkbox"/> with molded custom contour	Unit	<input type="text"/>
Anti-decubitus cover for AKTIVLINE Aluminium seat and back plate easily removable via zipper	<input type="checkbox"/> without molded custom contour <input type="checkbox"/> with molded custom contour	Unit	<input type="text"/>

Per fax to: +49 (0) 2243/8807-29

Per e-mail to: info@interco.gmbh

Art. no.	Article name   Article description   Options	UNIT	Quantity
	Spare plates, AKTIVLINE (only for firmly bonded padding) <input type="checkbox"/> without molded custom contour <input type="checkbox"/> with molded custom contour <input type="checkbox"/> Seat <input type="checkbox"/> Back	Set	<input type="text"/>
	Spare cover, complete, in standard version (only for upholstery attachable by Velcro)	Set	<input type="text"/>
	Overlay made of real lamb skin <input type="checkbox"/> Seat <input type="checkbox"/> Back	Unit	<input type="text"/>
	Slipcover for complete AKTIVLINE in stretch fabric <input type="checkbox"/> black <input type="checkbox"/> gray	Unit	<input type="text"/>
	KUSCHLY snuggle bag for AKTIVLINE, according to individual information	Unit	<input type="text"/>
	Inner bag of real lamb skin, can be tied into KUSCHLY according to individual measurements	Unit	<input type="text"/>
	Fabric / neoprene straps, fastened by Velcro, for closing seat and back gap <input type="checkbox"/> fabric <input type="checkbox"/> neoprene	Set	<input type="text"/>
	Fabric / neoprene straps, fastened by Velcro, for covering the pelvic and knee pivot points <input type="checkbox"/> fabric <input type="checkbox"/> neoprene	Set	<input type="text"/>



## Undercarriage options/Electric wheelchair

	Additional charge for undercarriage in extra-low version, according to individual information	Unit	<input type="text"/>
	AKTIVLINE undercarriage in reinforced version (additional charge) (only possible for SIMPLY)	Unit	<input type="text"/>
	AKTIVLINE seating system in extra light version (only possible for SIMPLY)	Unit	<input type="text"/>
	AKTIVLINE seating system, separable from the undercarriage	Unit	<input type="text"/>
	AKTIVLINE undercarriage, collapsible for transportation	Unit	<input type="text"/>
	AMF power node system for securing the AKTIVLINE and the patient in the vehicle for transportation	Set	<input type="text"/>
	Anti-tip (standard for SIMPLY LIGHT and MINY)	Unit	<input type="text"/>
	Solid tires on the rear wheels <input type="checkbox"/> 12" wheels <input type="checkbox"/> 16" wheels <input type="checkbox"/> 22" wheels <input type="checkbox"/> 24" wheels	Pair	<input type="text"/>
	Solid tires on the front wheels <input type="checkbox"/> 6" wheels <input type="checkbox"/> 7" wheels <input type="checkbox"/> 200x50 wheels	Pair	<input type="text"/>
	Spacer blocks/widened wheelbase of front wheels	Pair	<input type="text"/>
	Wheel guards <input type="checkbox"/> 12" wheels <input type="checkbox"/> 16" wheels <input type="checkbox"/> 22" wheels <input type="checkbox"/> 24" wheels	Pair	<input type="text"/>
	Spoke guard <input type="checkbox"/> with decoration <input type="checkbox"/> transparent <input type="checkbox"/> 12" wheels <input type="checkbox"/> 16" wheels <input type="checkbox"/> 22" wheels <input type="checkbox"/> 24" wheels	Pair	<input type="text"/>
	Floating axles for front wheels	Pair	<input type="text"/>

Per fax to: +49 (0) 2243/8807-29

Per e-mail to: info@interco.gmbh

Art. no.	Article name   Article description   Options	UNIT	Quantity
	Locking of the front wheels	Set	<input type="text"/>
	AKTIVLINE custom-made receptacle for respirator (please quote measurements/provide sketch!)	Unit	<input type="text"/>
	Hook for attaching bags	Unit	<input type="text"/>
	Knee lever brake <ul style="list-style-type: none"> <li><input type="checkbox"/> with brake lever extension</li> <li><input type="checkbox"/> without brake lever extension</li> </ul>	Pair	<input type="text"/>
	Support rollers, can be swiveled aside by foot pressure	Pair	<input type="text"/>
	Stabilizer bar for AKTIVLINE top frame, able to be fixed in position (only possible for SIMPLY)	Set	<input type="text"/>
	Mounting of supplied pushing aids <ul style="list-style-type: none"> <li><input type="checkbox"/> E-Fix</li> <li><input type="checkbox"/> Viamobil</li> <li><input type="checkbox"/> E-Max</li> <li><input type="checkbox"/> S-Max</li> <li><input type="checkbox"/> V-Max</li> <li><input type="checkbox"/> Deconwheels</li> </ul> Model: _____	Unit	<input type="text"/>
	Decon E-Drive 16" electric auxiliary drive (for purchase) included <ul style="list-style-type: none"> <li>- two drive wheels 16"</li> <li>- Battery 24 V and charging unit as well as battery bag</li> </ul> alternatively with <ul style="list-style-type: none"> <li><input type="checkbox"/> intuitive attendant control</li> <li><input type="checkbox"/> attendant control</li> <li><input type="checkbox"/> joystick control</li> </ul>	Unit	<input type="text"/>

Per fax to: +49 (0) 2243/8807-29

Per e-mail to: info@interco.gmbh

## Note


Please note that almost all options for additional special accessories can be custom-made. Please let us know what will be additionally needed for the patient, or sketch what you want on the next page.

Add-on components for medical devices, such as respirators, vacuum devices and/or oxygen bottles are possible. For these we need your detailed information about the type and possibly the dimensions of the devices.

At this point we wish you to know that the patient's measurements should be taken very carefully. Changes after the first trial sample are included in the prices provided they can result only from the trial sample and do not go beyond a bandwidth of +/- 10%.

Additional requirements beyond the first design will be billed separately; i.e. an extra charge will be applied for items that were not included in the original bid.

## Notes



The AKTIVLINE concept was discussed with: \_\_\_\_\_

After successful testing, all participants have understood the concept and the chosen options and agree with this concept.

Date

Signature

**Per fax to: +49 (0) 2243/8807-29**

**Per e-mail to: info@interco.gmbh**